



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

NOTICE INVITING QUOTATION (NIQ)

ET-NIQ-.....4692.....DT-...07/01/2020

Online Tenders in 02 Bid System (Technical and Financial) are invited from reputed manufacturers/authorized dealers for supply, installation & commissioning etc. of the following items required for Department of Electrical Engineering, Tezpur University.

Please read the NIQ document carefully before participating. It shall be deemed that submission of bid by the bidder has been done after their careful study and examination of the NIQ terms with full understanding to its implications. Any lack of information shall not in any way relieve the bidder of its responsibility to fulfill its obligations under the Bid.

The University will reject a proposal for award if it determines that the bidder recommended for award has engaged in corrupt or fraudulent practices in competing for, or in executing, the Purchase Order. Fraudulent Practice means a misrepresentation of facts in order to influence a procurement process and includes collusive practice among bidders (prior to or after Bid submission) designed to establish Bid prices at artificial non-competitive levels and to deprive Tezpur University of the benefits of free and fair competition. Corrupt Practice means offering, giving, receiving or soliciting of anything of value, pressurizing to influence the action of a public official in the process of this purchase execution.

For any queries/doubt please contact the Stores & Purchase Section (e-mail: snp@tezu.ernet.in).

Items:

Sl. No	Item	Approx Quantity	Approximate Unit Value in ₹
1	Wattmeter portable	1	15000.00
2	Voltage regulator	1	20000.00
3	Auto transformer	1	25000.00
4	Scrapped machines	1	8000.00
5	Three phase loads	1	20000.00
6	Megger	1	20000.00
7	LCRQ Meter	1	50000.00
8	Function Generator	1	50000.00
9	AC Bridge Trainer Kit	3	33000.00
10	Standard resistors (4 Terminal)	1	50000.00
11	Standard resistor (2 Terminal)	3	25000.00
12	Standard Decade Resistance Box	1	50000.00
13	Digital Storage Oscilloscope	1	100000.00
14	Function generator	1	100000.00

Handwritten signature and date: 07/01/2020



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

15	Compensator design setup (lag, lead, lead lag compensator design, their time domain and Frequency domain analysis)	1	350000.00
16	Study of Synchro setup	1	50000.00
17	DC Servometer setup	1	40000.00
18	Power Electronics Trainer Kit	1	20000.00
19	Experimental Setup to study SCR firing circuits	1	25000.00
20	Experimental Setup to study Step down chopper with ability to Study SCR firing circuit Study Step Down Chopper with resistive load Study Step Down Chopper with resistive – inductive load Study Step down Chopper with inductive (motor) load	1	20000.00
21	Experimental Setup to study DV-DT Limitation of SCR	1	12000.00

(Detail Technical Specification/Compliance Sheet and BoQ are attached/uploaded separately)

General Information about the NIQ

Last date and time for submission of Bids: 27.01.2020 (2.00 PM)

Date and Time of opening of Bids: 28.01.2020 (4.00 PM)

Place of Opening of Bids: Tezpur University

GENERAL TERMS & CONDITIONS:

1. No separate tender paper will be issued from the office; one should only download the specifications from the CPP Portal of Govt. of India or the Tezpur University website (www.tezu.ernet.in).
2. **GST: As per Gol Notification dated 14.11.2017 GST % for Public Funded Research Institution or a University has been reduced to 5% for certain goods and services. Hence, reduced rate of GST shall be paid if applicable on the tendered items. Exemption Certificate will be provided on request.**
3. **Rates:** Rates quoted should be on **FOR Tezpur University, Napam, Tezpur, Door Delivery Basis**, for indigenous items and **CIP Tezpur University, Napam, Tezpur or Delivered Duty Paid**, for imported item. Failure to comply with this term may lead to rejection of the quotation.
4. **Quotations should be accompanied by** i) An **EMD (in the form of Demand Draft/Banker Cheque) for ₹ 24,000.00 (Rupees Twenty Four Thousand) only drawn in favor of Registrar, Tezpur University, payable at Tezpur. No request for consideration of earlier deposited EMD will be considered.** ii) A non-refundable application (quotation/participation) fee of **₹ 1000.00 (Rupees Three Thousand) only must be paid only by Demand Draft/Banker Cheque drawn in favour of Registrar, Tezpur University payable at Tezpur.** iii) **The original copies of the EMD & Quotation/Participation Fee should be deposited/submitted/reach the office of the undersigned before opening of the Bids in an envelope superscribed as "Quotation/Participation Fee and EMD for ET-NIQ-.....4692.....DT-...07/01/2020...."**

*U. J. 27
17/01/2020*



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

- addressed to the Assistant Registrar-GA, Tezpur University. Failure to do so may result in rejection of the bid.*
5. **Exemption:** To Bidders who are MSME/NSIC registered may claim exemption from payment of EMD only subject to submission of valid documents in support of their claim. Bidders seeking exemption are asked to clearly mention the category under which exemption is claimed. The category of exemption under MSME/NSIC will be strictly adhered to. *Payment of tender fee is a must and is not exempted. However, the University will make provisions for the tender documents free of cost in its website as well as in CPP Portal.*
 6. The rates should be exclusive of taxes and applicable tax % should be clearly indicated.
 7. **Validity of Quotation:** Quoted rates must be valid for at least **180 days** from the last date of submission of quotation.
 8. Applicable levies, surcharge and discounts should be clearly indicated item wise.
 9. The rates should be quoted along with supporting documents of specifications and technical features and list of users, wherever applicable.
 10. The system must be installed at the laboratory wherever applicable, and after installation a basic training must also be provided by the supplier or their Indian counterpart without any additional costs.
 11. **Technical Evaluation:** Technical bids will be evaluated and ranked by the award ACCEPT & REJECT. The price bids of ACCEPTED vendors would then be considered by the concerned Purchase Committee of the institute.
 12. **After Sales Service Guidelines:** In case of imported goods, bidders should clearly state the detailed address, contact number and email ids of 'after sales service centre' preferably in Tezpur/Guwahati, India or any place in Assam without which their offers shall be liable for rejection. Service against any complaint must be provided within 24 hours
 13. **Genuine Pricing:** Vendor is to ensure that quoted price is not more than the price offered to any other customer in India to whom this particular item has been sold, particularly to Universities/IITs/Institutes and other Government Organization.
 14. **Payment:** 100% payment after successful delivery, installation and commissioning and acceptance by the user. *Please note that as per University's norm advance payment is not allowed for indigenous purchase.*
 15. **PENALTY FOR DELAYED DELIVERY:** The date of delivery should be strictly adhered to. In the event of delayed delivery, installation & commissioning, the vendor shall be liable for a penalty deduction as per prevailing rule
 16. Demonstration may be sought from the vendors for authentication of quoted specification.
 17. The University is exempted from paying Custom and Excise duty.
 18. Warranty/Guarantee period should be specifically mentioned in the quotation.
 19. No Advance payment will be made. However, for foreign supplies, advance payment will be made either by LoC. In such cases 10% Performance Bank Guarantee should be submitted before opening of the LoC.
 20. Items of Foreign origin should have Insurance up to installation on site.
 21. The University reserves the right to accept or reject any or all the quotations without assigning any reason.
 22. Irresponsive/incomplete quote will be rejected.
 23. **Award:** The Final Award will be given to the vendor, selected by the Purchase Committee on the lowest quote basis.

[Handwritten signature]
17/01/2020



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

24. **Conditional tenders not acceptable:** All the terms and conditions mentioned herein must be strictly adhered to by all the vendors. Conditional tenders shall not be accepted on any ground and shall be rejected straightway. Printed conditions mentioned in the tender bids submitted by vendors will not be binding on Tezpur University.
25. **Enquiry during the course of evaluation not allowed:** No enquiry shall be made by the bidder(s) during the course of evaluation of the tender till final decision is conveyed to the successful bidder(s). However, the Purchase Committee or its authorized representative (Tezpur University) can make any enquiry/seek clarification from the bidders. In such a situation, the agency shall extend full co-operation. The bidders may also be asked to arrange demonstration of the offered items, in a short period notice, as such the bidders have to be ready for the same.

26. **Force Majeure:**

If the performance of the obligation of either party is rendered commercially impossible by any of the events hereafter mentioned that party shall be under no obligation to perform the agreement under order after giving notice of 15 days from the date of such an event in writing to the other party, and the events referred to are as follows:

- I) any law, statute or ordinance, order action or regulations of the Government of India,
- II) Any kind of natural disaster, and
- III) Strikes acts of the Public enemy, war, insurrections, riots, lockouts, sabotage.

Termination for default: Default is said to have occurred

- a. If the equipment or any of its component is found having poor workmanship, faulty designs, poor performance and bad quality of materials used.
- b. If the supplier fails to deliver any or all of the services within the time period(s) specified in the purchase order or any extension thereof granted by Tezpur University.
- c. If the supplier fails to perform any other obligation(s) under the contract.
- d. Under the above circumstances Tezpur University may terminate the contract / purchase order in whole or in part and forfeit the EMD/PBG as applicable. In addition to above, Tezpur University may at its discretion also take the following actions: Tezpur University may procure, upon such terms and in such manner, as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier shall be liable to compensate Tezpur University for any extra expenditure involved towards goods and services obtained. Besides, the Vice-Chancellor, Tezpur University, reserves the right to impose any other form of penalty as deemed fit including blacklisting of the vendor.

27. **Selection criteria:**

Evaluation Criteria:

Technical criteria will be evaluated and ranked by the award of ACCEPT and/or REJECT. Only the ACCEPTED vendors will be considered for price bid. In case a joint venture makes a bid, any one of the members of the joint venture need to be qualified for each of the criteria mentioned below.

Eligibility Criteria:

- a. The bidder or the OEM should not be blacklisted by Tezpur University or any other Educational /R&D/ PSU/ Govt organizations. A certificate or undertaking to this effect must be submitted.

Note: The bidders should provide sufficient documentary evidence to support the eligibility criteria.

ADDITIONAL TERMS FOR IMPORTED GOODS:

Following additional terms will be applicable in case of foreign supply:

- a) **Rates:** Rates quoted should be on **DELIVERED DUTY PAID** basis, with break-ups as per details given in the BOQ,

Handwritten signature and date: 27/01/2020



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

- b) **Exchange rate:** Rate of foreign exchange shall be the rate prevailing on the date of Purchase Committee Meeting.
- c) While transshipment will be allowed, **part shipment will not be allowed.**
- d) **Payment:** By an irrevocable Letter of Credit at CIF/CIP Kolkata value negotiable through any overseas branch of State Bank of India with unrestricted provision. 90% of payment will be released on receipt of the shipping document and balance 10% after receipt of consignment. LoC will be established on receipt of Order acknowledgment, Proforma Invoice and Performance Bank Guarantee (PBG).
- e) **Agency Commission:** The percentage of ex-works value to be paid to Indian agent in equivalent Indian currency as agency commission as applicable if any will have to be clearly stated in the quotation.
- f) **Country of Origin:** While Country of Origin will have to be stated in the Original Invoice for payment through LoC.
- g) **LoC Amendment:** LoC amendment charges due to mistake on the part of the supplier, if any, will have to be borne by the supplier.
- h) Any query related to Technical Specifications, Instruction to Bidders and Terms & Conditions must be made before 7 working days of last date of submission of bids to Stores & Purchase Section, Tezpur University.
28. Applications for release of EMD should be submitted to the Registrar/ Joint Registrar-GA/Assistant Registrar-GA, Tezpur University.
29. Apart from the above terms and conditions the University has the right to include any other terms and conditions as and when felt necessary.

INSTRUCTIONS TO BIDDERS FOR ONLINE BID SUBMISSION

Instructions to the Bidders to submit the bids online through the Central Public Procurement Portal for e Procurement at <http://eprocare.gov.in/eprocare/app>

1. Possession of valid Digital Signature Certificate (DSC) and enrollment/registration of the agencies/bidders on the e-Procurement/e-tender portal is a prerequisite for e-tendering.
2. Bidder should do the enrollment in the e-Procurement site using the "Online Bidder Enrollment" option available on the home page. Portal enrollment is generally free of charge. During enrollment/registration, the bidders should provide the correct/true information including valid email id. All the correspondence shall be made directly with the agency/bidder through email id provided.
3. Bidder need to login to the site through their user ID/ password chosen during enrollment/registration.
4. Then the Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by SIFY/TCS/nCode/eMudra or any Certifying Authority recognized by CCA India on eToken/SmartCard, should be registered.
5. The DSC that is registered only should be used by the bidder and should ensure safety of the same.
6. Agency/Bidder may go through the tenders published on the site and download the required tender documents/schedules for the tenders he/she is interested.
7. After downloading / getting the tender document/schedules, the Bidder should go through them carefully and then submit the documents as asked, otherwise bid will be rejected.
8. If there are any clarifications, this may be obtained online through the tender site, or through the contact details. Bidder should take into account the corrigendum published before submitting the bids online.
9. Bidder then logs in to the site through the secured log in by giving the user id/ password chosen during enrolment/registration and then by giving the password of e-Token/Smartcard to access DSC.
10. Bidder selects the tender which he/she is interested in by using the search option & then moves it to the 'my tenders' folder.
11. From my tender folder, he selects the tender to view all the details indicated.

Handwritten signature and date: 02/07/2020



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

12. It is construed that the bidder has read all the terms and conditions before submitting their offer. Bidder should go through the tender schedules carefully and upload the documents as asked; otherwise, the bid will be rejected.
13. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender documents/schedule and generally, they can be in PDF/xls/rar/jpg/dwf formats. If there is more than one document, they can be clubbed together and can be provided in the requested format. Bidders Bid documents may be scanned with 100 dpi with black and white option. It is advisable that each document to be uploaded through online for the tenders should be less than 2 MB. If any document is more than 2MB, it can be reduced through rar and the same can be uploaded, if permitted. However, if the file size is less than 1 MB the transaction uploading time will be very fast.
14. If there are any clarifications, this may be obtained through the site. Bidder should take into account the corrigendum published from time to time before submitting the online bids.
15. The Bidders can update well in advance, the documents such as certificates, annual report details etc., under My Space option and these can be selected as per tender requirements and then send along with bid documents during bid submission. This will facilitate the bid submission process faster by reducing upload time of bids.
16. Bidder should submit the Tender Fee/EMD as specified in the tender. The original should be posted/couriered/given in person to the Tender Inviting Authority, within the bid submission due date & time for the tender or as indicated in the tender. Scanned copy of the instrument should be uploaded as part of the offer.
17. While submitting the bids online, the bidder reads the terms & conditions and accepts the same to proceed further to submit the bid packets.
18. The bidder has to select the payment option as offline to pay the Tender Fee/EMD as applicable and enter details of the instruments.
19. The details of the DD/ any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise submitted bid will not be acceptable or liable for rejection.
20. The bidder has to digitally sign and upload the required bid documents one by one as indicated. Bidders to note that the very act of using DSC for downloading the bids and uploading their offers shall be deemed to be a confirmation they have read all sections and pages of the bid document including General conditions of contract without any exception and have understood the entire document and are clear about the requirements of the tender requirements.
21. The bidder has to upload the relevant files required as indicated in the cover content. In case of any irrelevant files, the bid will be rejected.
22. If the price bid format is provided in a spread sheet file like BoQ_xxxx.xls, the rates offered should be entered in the allotted space only and uploaded after filling the relevant columns. The Price-bid BOQ template must not be modified/replaced by the bidder; else the bid submitted is liable to be rejected for this tender.
23. The bidders are requested to submit the bids through online e-tendering system to the Tender Inviting Authority (TIA) well before the bid submission end date & time (as per Server System Clock). The TIA will not be held responsible for any sort of delay or the difficulties faced during the submission of bid online by the bidders at the eleventh hour.
24. After the bid submission (i.e. after Clicking "Freeze Bid Submission" in the portal), the acknowledgement number, given by the system should be printed by the bidder and kept as a record of evidence for online submission of bid for the particular tender and will also act as an entry pass to participate in the bid opening date.
25. The time settings fixed in the server side & displayed at the top of the tender site, will be valid for all actions of requesting, bid submission, bid opening etc., in the e-tender system. The bidders should follow this time during bid submission.
26. All the data being entered by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered will not be viewable by unauthorized persons during bid submission & not be viewable by any one until the time of bid opening.
27. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers' public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
28. The confidentiality of the bids is maintained since the secured Socket Layer 128-bit encryption technology is

Handwritten signature and date: 07/01/2020




तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

- used. Data storage encryption of sensitive fields is done.
29. The bidder should logout of the tendering system using the normal logout option available at the top right-hand corner and not by selecting the (X) exit option in the browser.
 30. For any queries regarding e-tendering process, the bidders are requested to contact as provided in the tender document. Parallely for any further queries, the bidders are asked to contact over phone: 180030702232 or send a mail over to cppp-nic@nic.in.

Apal m
07/01/2020
Assistant Registrar-GA
Tezpur University

Technical Specifications cum Compliance Report
(To be submitted on Company's/Firm's Letterhead Signed and Sealed)

Item	Technical Specifications	Complied (Yes/No)	Remarks, if any;
Wattmeter portable	<ul style="list-style-type: none"> Low power factor, 10A, 300V, 600V Unity power factor, 10A, 300V, 600V 		
Voltage regulator	Output 220V VDC, 24 A		
Auto transformer	<ul style="list-style-type: none"> Single phase, 230V-270V, 10A Single phase, 230V-270V, 20A 		
Scrapped machines	<ul style="list-style-type: none"> DC machine, Armature winding Single phase induction motor (Fan) Squirrel cage rotor, stator 		
Three phase load	3KW, 415V, 12A, Highly inductive type		
Megger	Range : 5000 Mega Ω Voltage : 5000 Volts		
LCRQ Meter	<ul style="list-style-type: none"> 100Hz, 120 Hz, 1kHz, 110 kHz, 20,000 counts resolution 0.2% accuracy Wide LCR ranges with 4 selectable test frequencies (100Hz, 120Hz and 1kHz and 10kHz) Auto identification(Ai) which automatically determines and displays component type and measurements Detailed component analysis with ESR, Z, D, Q, θ functions Battery life of 16 hours/Ac-powered IR-to-USB connectivity for data logging to PC 		
Function Generator	<ul style="list-style-type: none"> 2 channel, 20 MHz, 1 GSa/s 		
AC Bridge Trainer Kit	<ul style="list-style-type: none"> : 10 mH, 20mH, 30 mH, 56μH, 24μH, 12μH, accuracy 1.5% 		
Standard resistors (4 Terminal)	<ul style="list-style-type: none"> 0.001-0.01Ohm; 		
Standard resistor (2 terminal)	<ul style="list-style-type: none"> 1 k Ohm; with Accuracy class: 70ppm-0.1 mΩ,0.1 W 		
Standard Decade Resistance Box	<ul style="list-style-type: none"> Decade of(1 m, 10 m, 100 m, 1, 10, 100, 1000, 10000) ohm, accuracy of 0.01% 		
Digital Storage Oscilloscope	<ul style="list-style-type: none"> 200 MHz, 4-Ch, 2 GS/s 		
Function generator	<ul style="list-style-type: none"> 2 channel, 20 MHz, 1 GSa/s 		
Compensator design setup (lag, lead, lead lag compensator design, their time domain and	Seven hardware instruments plus control I/O containing 16 AI, 4 AO, and 40 DIO 4-channel, 100 MS/s oscilloscope sample rate with 14-bit resolution and 50 MHz bandwidth 16-channel, 100 MS/s logic analyzer/pattern generator 16-channel, 1 MS/s analog input with 16-bit resolution 40 DIO lines individually programmable as input, output, PWM, or digital protocols		


 07/01/2020

Frequency domain analysis)	IV Analyzer : ± 10 V, ± 30 mA, 15 MHz Digital Multimeter : 4½ digits Variable Power Supply : ± 15 V, 500 mA Processor FPGA : Xilinx Zynq-7020 Programming Language Support : LabVIEW, Python, C2		
Study of Synchro setup	Both input and output synchro with error detector by servomotor,		
DC Servometer setup	Negative/positive tech feedback, microprocessor based		
Power Electronics Trainer Kit	<ol style="list-style-type: none"> 1. Bread Board : solder-less large size, spring loaded breadboard consisting of two Terminal Strips with 1280 tie points and 4 Distribution Strips with 100 tie points each, totaling to 1680 tie points. Size: 112mm x 170mm approx) 2. ± 5 V at 100mA, ± 12 V at 3. AC 18V - 0V - 18V at 50mA, & 15V - 0V - 15V at 50mA 4. Frequency : 40Hz to 900Hz Variable 5. 12V PWM control 6. Firing angle control 0°-180° variables 7. SCR : 2P4M/ 04, 600V, 2A 8. Power Devices : IGBT-G4BC20S, MOSFET-IRF540, UJT-2N2646, DIAC-DB3, TRIAC-BT136, PUT-2N6027, SCR-TYN-612/02 9. Potentio Meter : 4K7/02, 1M, <p>Accessories : With all necessary multimeter and resistances etc.</p>		
Experimental Setup to study SCR firing circuits	<p>On board AC source : 0 V - 18 V</p> <p>On board firing circuits:</p> <p>R Triggering Circuit</p> <p>RC Half Wave Triggering Circuit</p> <p>RC Full Wave Triggering Circuit</p> <p>UJT TRIGGERING CIRCUIT</p> <p>555 TRIGGERING CIRCUIT</p> <p>Interconnections : 2 mm sockets</p> <p>Firing angle variation : Gradually variation using firing control (2MW)</p> <p>SCR : 1 SCRs 2P4M, 400 V/2A</p> <p>Test points : 8 nos</p> <p>Dimensions (mm) : W 420 x D 255 x H 100</p> <p>Power Supply (Mains) : 110V - 260V AC, 50/60Hz</p> <p>Weight : 1 Kg. (approximately)</p> <p>Operating Conditions : 0-40oC, 85% RH</p> <p>Included Accessories :</p> <p>Patch cord 2mm 16" : 7 nos.</p> <p>Mains cord : 1 no.</p>		
Experimental Setup to study Step down chopper with ability to Study SCR firing circuit Study Step	<p>On board firing circuit : Triangular wave comparator scheme</p> <p>Frequency variation : 27 Hz to 5 KHz (approx.)</p> <p>PWM variation : 0 - 90%</p> <p>DC motor : 24 V / 0.5 A, 100 RPM</p> <p>Interconnections : 2 mm sockets</p> <p>SCR assembly : SCR 2P4M, 400V/2A</p> <p>Test points : 5 nos</p> <p>Mains Supply : 220/110V, 50 Hz / 60Hz</p>		

Opms m
07/01/2020

<p>Down Chopper with resistive load</p> <p>Study Step</p> <p>Down Chopper with resistive – inductive load</p> <p>Study Step down Chopper with inductive (motor) load</p>	<p>Product Tutorial : Online on www.ScientechLearning.com</p> <p>Dimensions (mm) : W 420 x D 255 x H 100</p> <p>Weight : 1 Kg. (approximately)</p> <p>Operating Conditions : 0-40oC, 85% RH</p> <p>Included Accessories : 2mm Patch cords (Red) 16"-1 no.</p> <p>2mm Patch cords (Black) 16"-1 no.</p> <p>2mm Patch cords (Blue) 16"-8 nos.</p> <p>Mains cord-1 no.</p> <p>Optional :</p> <p>Simtel Power Electronics Simulation Software</p>		
<p>Experimental Setup to study DV-DT Limitation of SCR</p>	<p>Phase Single</p> <p>Automation Grade Manual</p> <p>Power Supply 230 V</p> <p>Stability Voltage 0.01%+2mv</p> <p>Ripple and Noise 1mv (rms)</p> <p>Storage Temperature 20-80 Deg C</p> <p>Features:</p> <p>300V D.C. at 250 mA, Power Supply internally connected</p> <p>Thyristor switch for applying sudden voltage on the SCR under experiment.</p> <p>The SCR under experiment.</p> <p>Resistance for gate-cathode termination.05. Silicon diode.06.</p> <p>Transistorized snubber circuit.</p> <p>Two schemes for R-C snubber circuits.</p>		

Yash m
27/01/2020